



## DIGITAL SIGNAGE



FLAT PANEL MOUNTS FOR:

- Retail
- Supermarkets
- Transportation
- Restaurants
- Entertainment Venues
- Public Spaces

# DIGITAL SIGNAGE PRODUCT SELECTION

## ORDERING OPTIONS

### VESA (-V)

Mounts ending in "V" include a fixed interface with multiple VESA hole mounting patterns.

### Universal (-U)


Mounts ending in "U" include an adjustable interface to adapt to random hole patterns.

### Custom (-XXXX)


Mounts ending in a 4-digit number (i.e. 2540) include an interface custom-designed for a given display.

Custom product options also available!

## Small LCD TVs & Monitors



FSBV VESA Interface Bracket




## FIXED WALL MOUNT

### FSRV™


Fixed Wall Mount  
W: 45 lbs (20.4 kg)  
D: .75" (19 mm)  
C: ■



## Medium LCD TVs & Monitors




MSBV VESA Interface Bracket



### MSRV™

Fixed Wall Mount  
W: 100 lbs (45.4 kg)  
D: 1.56" (40 mm)  
C: ■



## INNOVATIVE DESIGNS


Chief is fully staffed to handle a variety of projects ranging in complexity. Dedicated technical and design resources work with you to create the perfect solution, while maintaining schedules and budget expectations. Chief clients enjoy a full range of options, from a state-of-the-art standard product mix, to a completely custom solution.

- Largest line of mounting solutions worldwide, including custom and universal interfaces, and UL Listed designs
- Hundreds of patent-protected features within modular components that can be integrated into a custom solution
- Custom Design and Technical Team that will generate a completely unique project solution
- A full line of accessories to support any project and maximize form and function

## Large LCD & Plasma TVs




MSBU Universal Interface Bracket





### MSRU™


Fixed Wall Mount  
W: 125 lbs (56.7 kg)  
D: 2.25" (57 mm)  
C: ■



## Extra-Large LCD & Plasma TVs



PSBU Universal Interface Bracket



### PSTU™

Fixed Wall Mount  
W: 200 lbs (90.7 kg)  
D: 2.31" (59 mm)  
C: ■



To specify color options, add S (silver) or B (Black) to the model number.

UNTS



TILT WALL MOUNTS



SWING ARM MOUNTS



CEILING MOUNTS

FTRV™

Tilt Wall Mount  
W: 45 lbs (20.4 kg)  
D: 1.94" (50 mm)  
T: +5/-15°  
C: ■



FWDV™

Dual Swing Arm Wall Mount  
W: 40 lbs (18.1 kg)  
D: 2.17" (55 mm)  
E: 15.94" (405 mm)  
C: ■ ■



Note: Desk and height-adjustable options are also available for this model

FHSV™

Single Ceiling Mount  
W: 40 lbs (18.1 kg)  
T: +/-15°  
C: ■



FHP18 (not pictured)  
Ceiling Mount w/ 1-1/2" NPT  
Adjustable Column allows 22-38" of adjustment


MTRV™

Tilt Wall Mount  
W: 100 lbs (45.4 kg)  
D: 1.81" (46 mm)  
T: 0-15°  
C: ■



JWDV™

Dual Swing Arm Wall Mount  
W: 75 lbs (34 kg)  
D: 3" (76 mm)  
E: 20.38" (518 mm)  
C: ■ ■



JHSV™

Single Ceiling Mount  
W: 100 lbs (45.4 kg)  
T: +/-15°  
C: ■ ■



MTRU™

Tilt Wall Mount  
W: 125 lbs (56.7 kg)  
D: 2.5" (64 mm)  
T: 0-15°  
C: ■



MWRU™

Dual Swing Arm Wall Mount  
W: 125 lbs (56.7 kg)  
D: 4.38" (111 mm)  
E: 24.88" (632 mm)  
C: ■ ■



MCSU™

Single Ceiling Mount  
W: 125 lbs (56.7 kg)  
T: +5/-20°  
C: ■



MWC™ (not pictured)  
Tilt Wall Mount with CPU Storage

PLPU™

Pull-N-Tilt™  
Wall Mount (with fingertip adjustment)  
W: 200 lbs (90.7 kg)  
D: 2.31" (59 mm)  
T: 0-15°  
C: ■



PDRU™

Dual Swing Arm Wall Mount  
W: 200 lbs (90.7 kg)  
D: 3.88" (99 mm)  
E: 24.8" (630mm)  
C: ■ ■



PCSU™

Single Ceiling Mount  
W: 175 lbs (79.4 kg)  
T: +5/-20°  
C: ■



PWC™ (not pictured)  
Tilt Wall Mount with CPU Storage

PNRU™ (not pictured)  
Dual Swing Arm Mount

PCMU™ (not pictured)  
Angled Column Ceiling Mount  
For greater stability up to 200 lbs (90.7 kg)



IN-WALL ACCESSORIES




ACCESSORIES

**PAC510™**  
 Retrofit Pre-Install Box  
 (Shown with PSTU™ Fixed Wall Mount, surge protector and conduit)



**PAC400™**  
 90° Rotation Adapter  
 For Extra-Large Flat Panels  
 (42-63)



**MAC400™** (not pictured)  
 90° Rotation Adapter  
 For Large Flat Panels (30-50)

**PAC515™**  
 New Construction Pre-Install Box



**PAC520™** (not pictured)  
 Multiple Option New  
 Construction Pre-Install Box

**PAC251™**  
 CPU/DVD/VCR Universal Adapter  
 For Extra-Large Flat Panels  
 (42-63)




**MAC251™** (not pictured)  
 CPU/DVD/VCR Universal Adapter  
 For Large Flat Panels (30-50)

**PAC500™**  
 In-Wall Accessory  
 For use with MWRU and PNRU  
 Dual Swing Arm Wall Mounts  
 (Shown with PNRU)  
 W: 200 lbs (90.7 kg)  
 C: ■ ■



**PAC300™**  
 Side Speaker Adapter  
 Adds 20 lbs (9.1 kg) to installation  
 C: ■ ■



**MAC500™**  
 In-Wall Accessory  
 For use with JWDV Dual Swing  
 Arm Wall Mount  
 (Shown with JWDV)  
 W: 75 lbs (34 kg)  
 C: ■ ■



**PAC301™**  
 Center Channel  
 Speaker Adapter  
 Adds 10 lbs (4.5 kg) to installation  
 C: ■ ■



**TPS™**  
 Fixed Truss & Pole Mount  
 W: 150 (68 kg)  
 C: ■



**TPM™** (not pictured)  
 Tilt-Adjustable Pole Mount

**PAC102™**  
 Shelf for Pole Installations



**PAC103™**  
 Shelf for Wall Installations (not pictured)  
 Accessory Shelf Strap

SPECIFICATIONS KEY:

W: Weight Capacity    D: Depth from Wall    E: Extension    T: Tilt    S: Swivel (left/right)    H: Height Adjustment    C: Color



**AUTOMATED MOUNTS**



**ENCLOSURES**

**CM1W18™**

*Automated Swing Arm*

W: 170 lbs (77.1 kg)

D: 4.25" (108 mm)

E: 18" (457 mm)

C: ■



**DGC™**

*Outdoor Enclosures*

W: 75 lbs (34 kg)

C: ■



**DGP™**

*Indoor Partial Enclosures (not pictured)*

C: ■ ■


**CM2L40™**

*Automated Pop-Up Lift*

W: 190 lbs (86.2 kg)

H: 40" (102 cm)

C: ■



**DFK™**

*Decorative Frames Kits*

Available in 4 colors



**CARTS & STANDS**

**CM3T45™**

*Automated Swivel Table Stand*

W: 125 lbs (56.7 kg)

S: +/-45°

C: ■ ■



**MFCU™**

*Mobile Cart*

For Large Flat Panels (30–50" +)

(Shown with PAC710™ Accessory Shelf)

W: 125 lbs (56.7 kg)

T: +/-15°

H: 24" (610 mm)

C: ■ ■



Optional Travel Case



**PFCU™ (not pictured)**

*Mobile Cart*

For Extra-Large Flat Panels (42–63")

**SL150™**

*Automated Projector Lift*

W: 35 lbs (16 kg)

H: 8.25" (210 mm)

C: ■



**MF1U™**

*Display Stand*

For Large Flat Panels (30–50" +)

(Shown with PAC710™ Accessory Shelf)

W: 125 lbs (56.7 kg)

T: +/-15°

H: 36" (914 mm)

C: ■ ■



**PF1U™ (not pictured)**

*Display Stand*

For Extra-Large Flat Panels (42–63")

specialty products

SPECIFICATIONS KEY:

W: Weight Capacity

D: Depth from Wall

E: Extension

T: Tilt

S: Swivel (left/right)

H: Height Adjustment

C: Color

RPA Elite Projector Mount

Custom option shown



**Q-Lock™**  
Integrated Locking Lever  
Provides enhanced security with an integrated key and lock system.  
*\*Optional – order RPMA/B/C with A, B or C to designate key option*



**MicroZone™**  
Micro Adjustment  
For fast and precise projector registration, including flush-mount installations.



**Centris™ Technology**  
Fingertip Adjustment  
Enables effortless, fingertip positioning

**ALSO AVAILABLE**

**RPA™ Projector Mount**

- Independent Roll, Pitch and Yaw
- Integrated Cable Management
- Quick Projector Connect/Disconnect
- All-Points™ Security System



**PROJECTOR MOUNTS**


Model	Type	Max Weight	Color(s)
RPM*	Custom	50 lbs (22.7 kg)	■
RPM-U*	Universal	50 lbs (22.7 kg)	■ ■ ■
RPA	Custom	50 lbs (22.7 kg)	■
RPA-U	Universal	50 lbs (22.7 kg)	■ ■ ■

*\*For Q-Lock™ integrated security, order RPMA, RPMB or RPMC with A, B or C designating the key option.*



**ACCESSORIES**

Model	Description	Color(s)
CMS™-0XX	1-1/2" NPT Fixed Extension Column	■ ■ ■
CMS™-0XX0XX	1-1/2" NPT Adjustable Extension Column	■ ■ ■
CMS115™	Ceiling Plate	■ ■ ■
CMS440™	Lightweight Suspended Ceiling Kit	■
CMS445™	Ceiling Tile Replacement Kit	■
CMA470™	Plenum Enclosure	■



FOR A COMPLETE LIST OF ACCESSORIES, VISIT [WWW.CHIEFMFG.COM](http://WWW.CHIEFMFG.COM)



**PRÉSENCE**

Québec Montréal  
Tél. : (418) 681-2470 Tél. : (514) 871-1994  
[www.presence.qc.ca](http://www.presence.qc.ca)

end-user focused    faster installation    superior service    proven quality

CHIEF MANUFACTURING    ■ A DIVISION OF MILESTONE AV TECHNOLOGIES    ■ [www.chiefmfg.com](http://www.chiefmfg.com)  
 USA/INTERNATIONAL    ■ P 800.582.6480/952.894.6280    ■ F 877.894.6918/952.894.6918    ■ [chief@chiefmfg.com](mailto:chief@chiefmfg.com)  
 CHIEF MOUNTS CANADA    ■ P 877.345.4329    ■ F 888.377.5314    ■ [info@chiefmounts.ca](mailto:info@chiefmounts.ca)  
 MILESTONE EUROPE B.V.    ■ P 31 (0)40 2668620    ■ F 31 (0)40 2668615    ■ [europe@milestone.com](mailto:europe@milestone.com)  
 MILESTONE ASIA PACIFIC LTD    ■ P 86 755 8996 9226    ■ F 86 755 8996 9217    ■ [asia.chief@milestone.com](mailto:asia.chief@milestone.com)

©2008 Milestone AV Technologies. Printed in the USA. 700015B 5/08. Chief is a registered trademark of Milestone. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.